# SEMCO modern seamless surface

# SAFETY DATA SHEET

Issue Date 21-Mar-2017 Revision Date 22-Sept-2018 Version 2

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name TITAN SHIELD GLOSS – TITAN SHIELD MATTE

Other means of identification

**Product Code** TSG700, 701, 705, 755

Details of the supplier of the safety data sheet

Company Name SEMCO Modern Seamless Surface Inc

3620 West Reno Ave Las Vegas, NV 89118 702-222-9495

Emergency telephone number

Emergency Telephone 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

### Classification

# **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified

### Label elements

### **Emergency Overview**

Appearance Opaque Physical state Liquid Odor Acrylic

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

### Hazards not otherwise classified (HNOC)

# Other Information

Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity 0.70755868% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Acrylic CoPolymer	Proprietary	7-15	*
1-Phenoxy-2-propanol	770-35-4	3-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures

**Skin Contact** Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

No Information available.

# Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials**None known based on information supplied.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** Exposure guidelines noted for ingredient(s).

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	
Ammonia	STEL: 35 ppm	TWA: 50 ppm	IDLH: 300 ppm
7664-41-7	TWA: 25 ppm	TWA: 35 mg/m <sup>3</sup>	TWA: 25 ppm
		(vacated) STEL: 35 ppm	TWA: 18 mg/m <sup>3</sup>
		(vacated) STEL: 27 mg/m <sup>3</sup>	STEL: 35 ppm
			STEL: 27 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection**No special technical protective measures are necessary. Wear protective gloves and

protective clothing. Prolonged contact may cause redness and irritation. Wear protective

gloves and protective clothing if needed.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state
Appearance
Color
Odor
Odor
Odor threshold

Liquid
Opaque
Opf-white
Acrylic/Urethane
No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 8.6-9.4 **Specific Gravity** 1.055

Viscosity <300 cP @ 25°C

Melting point/freezing point No Information available

Flash point Above 200°F

**Boiling point / boiling range** >= 212 °F (at 760 mm Hg) **Evaporation rate** No Information available **Flammability (solid, gas)** No data available

Flammability Limits in Air

Upper flammability limit:No Information availableLower flammability limit:No Information availableVapor pressureNo Information availableVapor densityNo Information available

Water solubility Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

# **Other Information**

Density Lbs/Gal 8.80

**VOC Content (%)** 0.14058 / 28.2 g/L

# 10. STABILITY AND REACTIVITY

# Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

**Hazardous Decomposition Products** 

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

### **Product Information**

**Inhalation** No data available. Avoid breathing vapors or mists.

**Eye contact** No data available. Avoid contact with eyes.

**Skin Contact** No data available. No known hazard in contact with skin.

**Ingestion** No data available. Do not taste or swallow. Not an expected route of exposure.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Phenoxy-2-propanol	= 2830 mg/kg (Rat)	> 2 g/kg (Rabbit)	-

**-**

770-35-4		

# Information on toxicological effects

**Symptoms** No Information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No Information available.
No Information available.

**Carcinogenicity** Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

**Chronic toxicity** Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic

beverage. Ethanol has been shown to be carcinogenic in long-term studies only when

consumed as alcoholic beverage.

**Aspiration hazard** No Information available.

### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.30355868% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 11,430.00 mg/kg

 ATEmix (dermal)
 26,658.00 mg/kg

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

45.18747% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Ethanol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	10800: 24 h Daphnia magna mg/L EC50 9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
Ammonia 7664-41-7	-	0.44: 96 h Cyprinus carpio mg/L LC50 1.5: 96 h Poecilia reticulata mg/L LC50 0.26 - 4.6: 96 h Lepomis macrochirus mg/L LC50 5.9: 96 h Pimephales promelas mg/L LC50 static 1.19: 96 h Poecilia reticulata mg/L LC50 static 0.73 - 2.35: 96 h Pimephales promelas mg/L LC50 1.17: 96 h Lepomis macrochirus mg/L LC50 flow-through	25.4: 48 h Daphnia magna mg/L LC50
Methyl Chloro Isothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.31: 120 h Anabaena flos-aguae mg/L EC50	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static

# Persistence and degradability

No Information available.

### **TITAN SHIELD GLOSS - MATTE**

### **Bioaccumulation**

No Information available.

Other adverse effects No Information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

# 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

**DOT** Not regulated

# 15. REGULATORY INFORMATION

### International Inventories

TSCA Complies DSL/NDSL Complies

# <u>Legend:</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

# California Proposition 65

### **TITAN SHIELD GLOSS - MATTE**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Ethanol - 64-17-5	Carcinogen	
	Developmental	

# **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Hydroxide 1310-73-2	X	X	Х
Ethanol 64-17-5	X	X	Х
Ammonia 7664-41-7	X	X	X
Magnesium Nitrate 10377-60-3	X	X	Х

### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not Applicable

# **16. OTHER INFORMATION**

NFPA Health hazards 0 Flammability 0 Instability 0 Physical and Chemical Properties Yes

HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal protection X

 Issue Date
 21-Mar-2017

 Revision Date
 22-Sept-2018

**Revision Note** 

No Information available

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**