SAFETY DATA SHEET



Issue Date 01-Mar-2015 Revision Date 12-September-2023 Version 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name MICROBOND

Other means of identification

Product Code XBM50, XBM25

Recommended use of the chemical and restrictions on use

Recommended Use Only for use with the SEMCO X-Bond Liquid.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

SEMCO Modern Seamless Surface

3620 West Reno Ave Las Vegas, NV 89118

Emergency telephone number

Company Phone Number 702-222-9495

Emergency Telephone 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

Not Regulated

Skin sensitization Category 1B

Label elements

Emergency Overview



DANGERCauses severe skin burns and eye damage (Category 1B)

May cause allergy or asthma symptoms or breathing difficulties if inhaled (Category 1)

May cause cancer (inhalation) (Category 1A)

Causes damage to organs (lung/respiratory system) through prolonged or repeated exposure (inhalation). (Category 1) Chronic unprotected exposure may lead to silicosis.

Appearance Gray, White or Tan Sandy Powder

Physical state Powder

Odor None

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant. Keep out of drains, sewers, ditches and waterways. Minimize use of water to prevent environmental contamination.

2.2 Potential Health Effects

Relevant routes of exposure: Eye contact, skin contact, inhalation

Potential Acute Health Effects:

Eye: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

Skin: May cause irritation on prolonged or repeated contact.

Inhalation: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat of the nose, throat and lungs. Chronic unprotected exposure may lead to silicosis. **Ingestion**: Ingest of material may cause vomiting and/or stomach pains.

Carcinogenicity: IARC: SiO2 NTP: Not Regulated OSHA: Not Regulated

Potential Chronic Health Effects

Chronic effects: Contains Material that can cause target organ damage (lungs / respiratory system).

Target Organs: Contains material which causes damage to the following organs: lungs. Review Section 2 and 11 for any additional assessments.

Over-Exposure Signs/Symptoms

Inhalation: Adverse symptoms may include the following: respiratory tract irritation and coughing

2.3 Potential Environmental Effects

• Not considered to be harmful to aquatic and terrestrial life.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

52.60961% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Lower Weight-%	Upper Weight-%
Hollow Glass Microspheres	65997-17-3	46	49
Portland Cement White	65997-15-1	47.0	49.0
Calcium Carbonate	1317-65-3	0.5	1
Calcium Hydroxide	1305-62-0	1	3.0

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove

any contact lenses. Get medical attention if irritation occurs.

Skin Contact Wash skin with soap and water. Wash contaminated clothing before reuse. Consult a

physician or other qualified medical personnel if the condition persists.

Inhalation Remove to fresh air. Check for clear airway, breathing and presence of pulse. Provide

Cardiopulmonary resuscitation for persons without pulse or respirations. Consult a physician

or other medical personnel.

Ingestion If swallowed, dilute by drinking large amounts of water, give at least 2 glasses of water to

drink. Consult a physician or other qualified medical personnel. Never give anything by

mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms

Inhalation Adverse symptoms may include the following: respiratory tract irritation and coughing

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2, alcohol-resistant foam or water spray.

Unsuitable extinguishing media: None Products of Combustions: None

Unusual Hazards: None

Specific hazards arising from the chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Firefighters should wear self-containing breathing apparatus (pressure demand MSHA/NIOSH approved or equivalent) and full fire-fighting turnout gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Environmental precautions

Environmental precautions Keep out of drains, sewers, ditches and waterways. Minimize use of water to prevent

environmental contamination.

Methods and material for containment and cleaning up

Methods for containment Handle as a nuisance dust. Use respiratory protection if dust becomes airborne.

Methods for cleaning up Dispose of in accordance with applicable Federal, State, and Local regulations. Keep

spills and runoff out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not get in eyes. Avoid contact with skin. Use in well ventilated areas. Wash

thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry location and out of direct sunlight. Protect sacks from weather and

other damage.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

CHEMICAL NAME	OSHA PEL	ACGIH TLV	NIOSH REL
Hollow Glass Microspheres	Not Established	Not Established	0.05 mg/m ³ TWA
Portland Cement	15 mg/m ³ TWA	10 mg/m ³ TWA	10 mg/m ³ TWA
Calcium Carbonate	15 mg/m ³ TWA	10 mg/m ³ TWA	10 mg/m ³ TWA
Calcium Hydroxide	15 mg/m ³ TWA	5 mg/m ³ TWA	5 mg/m ³ TWA

Appropriate engineering controls

Engineering Controls

Use local ventilation, if needed.

Individual protection measures, such as personal protective equipment

Eye/face protection: Use chemical splash goggles (ANSI 287.1 or approved equivalent)

Skin Protection: Use rubber or neoprene gloves to provide protection against wet material.

Respiratory Protection: None required for normal use of this product. If material is sanded or ground when dry, NIOSH/MSHA

approved respirators for dust should be provided and used. As with any safety product, workers using

respirators should be trained in the proper selection, use and care of such equipment.

General Hygiene Considerations: Wash thoroughly after handling. Have eye-wash facilities immediately available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

Appearance Powder Odor None

Odor threshold Not available

PropertyValuesRemarks •pHNot availableMethod

Melting point/freezing pointNot availableBoiling point / boiling rangeNot applicableFlash pointNoncombustibleEvaporation rateNot applicableFlammability (solid, gas)Not available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information available

Vapor density No information available

Water solubility Slightly

Solubility in other solvents
Partition Coefficient
Auto ignition temperature
Decomposition Temperature
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions of storage and use, hazardous polymerization will not occur.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None

Incompatible materials

None

Hazardous Decomposition Products

None under normal conditions of storage and use.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Re MICRO BOND Inhalation

Revision Date12-Sept-2023 No specific hazard known. May cause transient irritation, headache, nausea, and /or inflammation of the nose, throat or lungs.

Eye contact No specific hazard known. May cause transient irritation or alkali burns.

Skin Contact No specific hazard known. May cause transient irritation or alkali burns.

Ingestion No specific hazard known.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
-	-	-	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

No information available.

No information available.

No information available.

No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not harmful to aquatic life

Aquatic Toxicity: No data available.

Terrestrial Toxicity: No data available.

Mobility: No data available.

Chemical Name	Chemical Name Algae/aquatic plants Fish		Crustacean
-	-	-	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

<u>Other adverse effects</u> No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations. Local regulations may be more stringent than regional or national requirements. The information presented below only applies to the material as supplied. The identification

based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated.

Contaminated packaging

It is the responsibility of the waste generator to determine toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

Land transport US DOT Not classified as a dangerous good under transport regulations. Sea transport IMDG

Not classified as a dangerous good under transport regulations Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

HCS Classification: Target organ

effects US Federal Regulations

SARA 311/312 Classification Immediate (acute) health hazard, Delayed (chronic) health hazard

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372. None required.

SARA 302 Extremely Hazardous Substances None required.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
-	-	-	-	-

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances	CERCLA/SARA RQ	Reportable Quantity (RQ)
-	-	-	-

US State Regulations

California Proposition 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey Massachusetts		Pennsylvania
-	-	-	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA	Health Hazards	1	Flammability 0)	Instability 0	Physical and Chemical Properties -
HMIS	Health Hazards	1	Flammability 0)	Physical hazards 0	Personal Protection -

Prepared By Samel Sem
Issue Date 01-Jan-2015
Revision Date 12-September-2023

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

<u>Caution:</u> HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. Legend

ACGIH	American Conference of Government Industrial Hygienists
HMIS	Hazardous Material Identification System
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health
PEL	Permissible Exposure Limit

This information is furnished without warranty, representation, inducement or license if any kind, except that it is accurate to the best of SEMCO Modern Seamless Surface Inc., knowledge or is obtained from sources believed to be accurate. SEMCO Modern Seamless Surface Inc., does not assume any legal responsibility for its use or reliance upon same/ Customers are encouraged to conduct their own tests. Before using any product, read its label.

End of Safety Data Sheet

^{*}See Section 2 Hazards Identification