

Version: 3 (US)

Date of print: 01/20/2016

Date of last alteration: 04/11/2016

SECTION 1: PRODUCT IDENTIFICATION

Product Name : X-Bond Additive
Chemical Name: Sodium Potassium Aluminum Silicate
CAS #: 93763-70-3
Uses: Industrial Mineral for Horticulture, Construction, Industrial, Insulation, and Environmental Applications

Manufacturer : SEMCO Modern Seamless Surface Inc
3620 West Reno Ave
Las Vegas, NV 89118
Phone: 702 222-9495

SECTION 2: HAZARDS IDENTIFICATION

OSHA Classification: Considered a nuisance dust only
Signal Word: None required
Pictograms: None required
Hazard Statements: None required
HNOC: None required

Supplemental Statements:

- * Inhalation may cause throat irritation resulting in coughing or sneezing and may aggravate pre-existing respiratory conditions.
- * Direct eye contact may cause mechanical irritation.
- * Direct skin contact may cause drying and roughness.

Supplemental Recommendations:

- * Avoid creating unnecessary dust, and wear NIOSH approved dust protection mask.
- * Wear NIOSH approved eye protection when encountering perlite dust.
- * Apply skin creams or lotions to prevent drying.
- * Dispose of waste in accordance with applicable local, State, and Federal regulations.

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

Perlite CAS #: 93763-70-3 – 100%
Quartz : none detected
(crystalline silica)

SECTION 4: FIRST AID MEASURES

Inhalation: Remove to fresh air. Blow nose. Consult physician if symptoms persist.
Eyes: Flush with water. **DO NOT** rub eyes. Consult physician if symptoms persist.
Skin: Wash with water. Apply creams or lotions to prevent drying.

SECTION 5: FIRE FIGHTING MEASURES

Non- Flammable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Use appropriate Personal Protective Equipment (PPE) and avoid creating unnecessary dust using normal cleanup methods: shovels brooms, vacuum with HEPA filter, or wet material prior to cleanup.

SECTION 7: HANDLING & STORAGE

Handling Precautions: Avoid creating unnecessary dust and use appropriate respiratory and eye protection.

Storage Precautions: Keep material dry

Incompatible Materials: Hydrofluoric acid

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits: OSHA PEL – 15 mg/m³ ACGIH TLV – 10 mg/m³

Engineering Controls: Adequate ventilation to keep concentrations below exposure limits.

Recommended PPE: Appropriate NIOSH/OSHA approved dust respirator, NIOSH/OSHA tight-fitting safety glasses or goggles and gloves.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State (Appearance): Solid white or gray powder or granules.

Odor: Odorless

pH: 6-9 (10% slurry in water)

Flash Point: N/A

Boiling Point: N/A

Auto-ignition Temperature: N/A

Flash Point: N/A

Melting Point: 2,100 F – 2,300 F

Boiling & Decomposition Points: N/A

Specific Gravity: 2.3

Bulk Density: less than 10 lbs per cubic foot

Water Solubility: Negligible

Co-efficient of Water/Oil

Distribution: N/A

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under normal use and conditions.

Reactivity Hazards: Hydrofluoric Acid

Hazardous Decomposition

Products: Will react with hydrofluoric acid to produce toxic silicon tetrafluoride.

Hazardous Polymerization: None

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity Information: None
LD50/LC50/LDLo (Oral, Dermal, Inhalation): Not established

Symptoms:

- * Inhalation may cause throat irritation resulting in coughing or sneezing and may aggravate pre- respiratory conditions.
- * Direct eye contact will cause mechanical irritation.
- * Direct skin contact may cause drying and roughness.
- * Ingestion – no symptoms known
- * Aspiration Hazard – none

Delayed Effects of Short and Long-term Exposure: None known

Mutagenic Effects: None

Carcinogenic Effects: None

Reproductive Toxicity (reproductive, developmental, teratogenic): None

Specific Target Organ Toxicity (single or repeated exposure): None

SECTION 12: ECOLOGICAL INFORMATION

Perlite is a natural occurring mineral and has no known ecotoxic effects.

SECTION 13: DISPOSAL CONSIDERATIONS

Perlite, by itself, is a non-hazardous waste and should be disposed of in accordance with applicable local, State and Federal regulations.

SECTION 14: TRANSPORTATION INFORMATION

Proper Name: Expanded Perlite
DOT: Not Regulated
TDG/IMO/ICAO: Not Regulated

SECTION 15: REGULATORY INFORMATION

OSHA: Perlite is NOT considered a hazardous or toxic substance.
WHMIS: N/A
SERA: Not Listed
TSCA: Not Listed

SECTION 16: OTHER INFORMATION

The information provided in this document is correct to the best of our knowledge as of the publication date. This information pertains only to the material specified and may not be valid when this material is combined with other materials or subjected to other processes. No warranty or quality specification is implied by this information. It is the responsibility of the user to handle the designated material in a safe manner and comply with all applicable local, State and Federal regulations.

**Prepared by: SEMCO Modern Seamless Surface Inc., — 3620 West Reno Avenue
Las Vegas, NV 89118 — January 20, 2016**