# SAFETY DATA SHEET

Issue Date 21-Mar-2014

Revision Date 8-Aug-2016

Version 1

Odor Acrylic

SEMCO

modern seamless surface

**1. PRODUCT AND COMPANY IDENTIFICATION** 

Product identifier	
Product Name	CRYSTAL COAT GLOSS / MATTE
Other means of identification	
Product Code	CC600, CC601, CC605
Details of the supplier of the safet	v data sheet
Company Name	SEMCO Modern Seamless Surface Inc
	3620 West Reno Ave
	Las Vegas, NV 89118
	702-222-9495
Emergency telephone number	
Emergency Telephone	1-800-424-9300
	2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified

#### Label elements

**Emergency Overview** 

Physical state Liquid

Appearance Semi-White, Milky

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

#### Hazards not otherwise classified (HNOC)

#### Other Information

Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity 0.70755868% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Acrylic CoPolymer	Proprietary	7-15	*
1-Phenoxy-2-propanol	770-35-4	3-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

Skin Contact Wash off immediately v	vith plenty of water. Wash skin with soap and water.	
Eye contactRinse thoroughly with p Consult a physician.	lenty of water for at least 15 minutes, lifting lower and upper eyelids.	
Inhalation Remove to fresh air.		
Ingestion Clean mouth with wate	r and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms Any additional importan Information.	at symptoms and effects are described in Section 11: Toxicology	
Indication of any immediate medical attention and special treatment needed		
Note to physicians Treat symptomatically.		

## **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No Information available.

### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures					
Personal precautions	Ensure adequate ventilation, especially in confined areas.				
Environmental precautions	Environmental precautions				
<b>Environmental precautions</b> See Section 12 for additional ecological information.					
Methods and material for containment and cleaning up					
Methods for containment Prevent further leakage or spillage if safe to do so.					
Methods for cleaning up Pick up and transfer to properly labeled containers.					

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice.Conditions for safe storage, including any incompatibilitiesStorage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place.Incompatible materialsNone known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines	Exposure guidelines no	oted for ingredient(s).	
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Ammonia 7664-41-7	STEL: 35 ppm TWA: 25 ppm	TWA: 50 ppm TWA: 35 mg/m <sup>3</sup> (vacated) STEL: 35 ppm (vacated) STEL: 27 mg/m <sup>3</sup>	IDLH: 300 ppm TWA: 25 ppm TWA: 18 mg/m <sup>3</sup> STEL: 35 ppm STEL: 27 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965F.2d 962 (11th Cir., 1992).		
Appropriate engineering controls			
Engineering Controls	Showers, Eyewash stations & Ventilation systems.		
Individual protection measures, suc	ch as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	No special technical protective measures are necessary.Wear protective gloves and protective clothing. Prolonged contact may cause redness and irritation.Wear protective gloves and protective clothing if needed.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene	Handle in accordance with good industrial hygiene and safetypractice.		
9. PHYSICAL AND CHEMICAL PROPERTIES			

## Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Opaque
Color	Off-white
Odor	Acrylic
Odor threshold	No Information available

#### **Property**

<u>Propertv</u>	<u>Values</u>	Remarks • Method
pH	8.6-9.4	
Specific Gravity	1.055	
Viscosity	<300 cP @ 25°C	
Melting point/freezing point	No Information available	
Flash point	Above 200°F	
Boiling point / boiling range	>= 212 ° F (at 760 mm Hg)	
Evaporation rate	No Information available	
Flammability (solid, gas)	No data available	
Flammability Limits in Air		
Upper flammability limit:	No Information available	
Lower flammability limit:	No Information available	
Vapor pressure	No Information available	
Vapor density	No Information available	
Water solubility	Complete	
Partition coefficient	No Information available	
Autoignition temperature	No Information available	
Decomposition temperature	No Information available	

#### **Other Information**

Density Lbs/Gal	
VOC Content (%)	

## 0.08058

8.80

## **10. STABILITY AND REACTIVITY**

**Reactivity** No data available

## **Chemical stability**

Stable under recommended storage conditions. Possibility of Hazardous Reactions None under normal processing. Conditions to avoid Extremes of temperature and direct sunlight. Incompatible materials None known based on information supplied. Hazardous Decomposition Products None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

### **Product Information**

Inhalation	No data available. Avoid	No data available. Avoid breathing vapors or mists.			
Eye contact	No data available. Avoid	No data available. Avoid contact with eyes.			
Skin Contact	No data available. No kno	No data available. No known hazard in contact with skin.			
Ingestion	No data available. Do not	No data available. Do not taste or swallow. Not an expected route of exposure.			
Chemical Name	Oral LD50	Oral LD50 Dermal LD50 Inhalation LC50			
1-Phenoxy-2-propanol	= 2830 mg/kg (Rat)	> 2 g/kg (Rabbit)	-		

770-35-4			
	770-35-4		

## Information on toxicological effects

Symptoms No Information available.						
Delayed and immediate effects as well as chronic effects from short and long-term exposure						
Sensitization Germ cell mutagenicity Carcinogenicity	No Information available. No Information available. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as					
Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity	Ethanol has been shown to be a reproductive toxin only when consumed as an alco beverage. Ethanol has been shown to be carcinogenic in long-term studies only w consumed as alcoholic beverage.					
Aspiration hazard Numerical measures of toxicity	- Product Information					
Unknown Acute Toxicity	0.30355868% of the mixture consists of ingredient(s)of unknown toxicity					
The following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)11,430.00mg/kgATEmix (dermal)26,658.00mg/kg						
12. ECOLOGICAL INFORMATION						

#### Ecotoxicity

45.18747% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Ethanol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	10800: 24 h Daphnia magna mg/L EC50 9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
Ammonia 7664-41-7	-	0.44: 96 h Cyprinus carpio mg/L LC50 1.5: 96 h Poecilia reticulata mg/L LC50 0.26 - 4.6: 96 h Lepomis macrochirus mg/L LC50 5.9: 96 h Pimephales promelas mg/L LC50 static 1.19: 96 h Poecilia reticulata mg/L LC50 static 0.73 - 2.35: 96 h Pimephales promelas mg/L LC50 1.17: 96 h Lepomis macrochirus mg/L LC50 flow-through	25.4: 48 h Daphnia magna mg/L LC50
Methyl Chloro Isothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.31: 120 h Anabaena flos-aquae mg/L EC50	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static

## Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Other adverse effects	No Information available			
13. DISPOSAL CONSIDERATIONS				
Waste treatment methods				
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.			
Contaminated packaging	Do not reuse container.			

## 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

#### **15. REGULATORY INFORMATION**

	e .
Complies	
Complies	

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Ethanol - 64-17-5	Carcinogen	
	Developmental	

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	
Sodium Hydroxide 1310-73-2	X	X	X	
Ethanol 64-17-5			X	
Ammonia 7664-41-7	Х	X	Х	
Magnesium Nitrate X 10377-60-3		X	Х	

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION					
NFPA	Health hazards 0	Flammability	0	Instability 0	Physical and Chemical Properties Yes
HMIS	Health hazards 0	Flammability	0	Physical hazards 0	Personal protection X
Issue Date	21-Mar-2014				
Revision Date Revision Note	8-Aug-20	010			
No Information available Disclaimer					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet